

MIAx Sapphire Options Exchange

Clearing Trade Drop for Options CTD Interface Specification

Revision Date: 01/08/2025
Version 2.1

Table of Contents

1. Overview	1
1.1 Exchange Related Information	1
1.1.1 Hours of Operation for Sapphire Options Exchange	1
1.1.2 Additional Information	1
1.2 Certification for Connecting to and Receiving Data from CTD	2
1.3 CTD Architecture	2
1.4 FAQs	3
1.5 Data Types	3
1.6 Configuration	3
2. Session Management Messages	5
3. Application Messages	6
3.1 System State	6
3.2 Trade Message	6
3.3 Risk Notification Message	15
Appendix A: Trade Conditions	17
Appendix B: Contact List	19
Appendix C: Revision History	20

1. Overview

MIAX Sapphire Clearing Trade Drop (**CTD**) is a messaging interface that provides real-time clearing trade information to the parties of a trade (and/or entitled designated recipients) on the MIAX Sapphire Options Market.

CTD Features:

CTD messaging and the system architecture is designed to benefit its recipients by providing low latency and high throughput messaging. Some of the key features of the interface are:

- CTD uses binary numeric fields and fixed length ASCII fields to utilize bandwidth efficiently and assist in achieving low latency.
- CTD requires the use of the TCP IP based MIAX Sapphire proprietary SesM protocol in order to provide a guaranteed delivery mechanism for the CTD sourced messages.
- CTD messages support entitlements by:
 - OCC Number
 - CMTA
 - MPID (This is the clearing member MPID and not the introducing broker MPID)
 - Stock Clearing Account (Underlying MPID or DTC Account Number)

This specification is intended for the use for MIAX Sapphire Member firms and authorized subscribers of CTD only. MIAX Sapphire will be referred to as Sapphire for the rest of this document.

1.1 Exchange Related Information

1.1.1 Hours of Operation for Sapphire Options Exchange

Note: Times specified below are in United States Eastern Time zone.

7:00 am	Firm Interface Start up time Firms are allowed to connect
9:30 am to 4:00 pm	Trading Session for Equity Options (ends at 1:00 pm on early closing days) Note that Sapphire may still send queued executions, cancels or corrections even after the end of this time range
9:30 am to 4:15 pm	Trading Session for ETF and Index Options (ends at 1:15 pm on early closing days) Note that Sapphire may still send queued executions, cancels or corrections even after the end of this time range
5 pm (approx.)	End of Session (ends at 2 pm on early closing days) CTD has completed sending all messages and Firms will soon be disconnected

1.1.2 Additional Information


Information such as membership, rules, data feeds, fees and support can be obtained by sending an email to MIAX Trading Operations or by referring to the [MIAX website](#).

1.2 Certification for Connecting to and Receiving Data from CTD

Please contact MIAX Trading Operations (tradingoperations@miaxglobal.com) to obtain more information about certification testing and the details about the test environment.

In order for firms to connect to production, they must certify their application with Sapphire. This certification testing is a manual process. In order to schedule a certification test, please email Trading Operations .

1.3 CTD Architecture



Highlights:

- Sapphire trading architecture is highly scalable and consists of multiple trade engines. Each trading engine handles trading for all options for a set of underlyings. The underlying sets may not be contiguous ranges of underlyings and could be organized in any manner as assigned by the exchange. The CTD acts as a gateway by collecting the trades from each trading engine and providing a consolidated flow of trades to the recipients of the CTD output.
- CTD clients must have a backup connection for the purposes of handling service interruptions to the primary connection point if necessary.
- This architecture offers low latency, high throughput, small fault domains and high resiliency.

1.4 FAQs

Failure Recovery: If there is a problem with the primary connection, firms can connect to the primary again if it is available or switch to the corresponding backup connection if primary is not available.

When reconnecting to the primary connection, Firms are recommended to login with the next sequence number expected based on the last sequence number received before they disconnected.

When connecting to the backup, Firms must login with a request to receive messages starting with a sequence number of 1 given that the SesM sequence numbers (and ordering of messages) may be different on the backup session. This ensures that firms do not miss any trades. Firms must be able to handle retransmitted trades and can use a combination of *TradeID*, *CorrectionNumber*, *Side* and *Trade Action* as a unique key to know if a given message is a retransmitted message.

In order to facilitate easy recoverability and continuity in sequenced message delivery, SesM protocol supports a store on the server side where it keeps all messages for a trading session regardless of the client's connection state.

Retransmission of Trade messages: Sapphire may choose to retransmit trade messages in response to an interruption of the CTD service. Sapphire will work to coordinate with the firms before initiating such retransmissions. Firms may be recommended to login with a request to receive messages starting with a sequence number of 1. Firms can use a combination of *TradeID*, *CorrectionNumber*, *Side* and *Trade Action* as a unique key to know if a given message is a retransmitted message.

1.5 Data Types

The following table describes the data types used in CTD messaging:

Note: Time fields in all messages are as per timings of United States Eastern Time zone.

Data Type	Description
BinaryU	Unsigned, Intel x86 byte-ordered (little-endian), binary encoded numbers
BinaryPrc4U	BinaryU Field with the last 4 (right most) digit places being decimal places
NanoTime	BinaryU field that contain transaction time in nanoseconds since past midnight
Alphanumeric	Each place can contain characters or numbers. Left justified and space-padded on to the right

1.6 Configuration

Entitlements: Recipients are required to submit their entitlement information to Trading Operations for submission to the system.

CTD Port Assignments/Connections: Recipients will be required to maintain a primary and secondary port connection to CTD.

Risk Protection Monitoring: Firms participating in Sapphire Risk Protection Monitoring can manage Risk Notification messages on a per session basis. The configuration of notification messages can be coordinated with MIAX Trading Operations. Each notification type (solicited or un-solicited) is independently configurable to be forwarded or dropped.

Stock Symbol Format: Underlying symbol will be in the OCC Options Underlying symbol format by default. Firms can opt to receive the Underlying Symbol in the stock ticker format for stock leg trades of Complex stock-tied orders in the Trade message. This can be configured per CTD port.

2. Session Management Messages

Please refer to latest TCP session management protocol document (available on the [MIAX website](#)) for details about Sapphire proprietary **SesM session management Protocol**. This protocol layer offers session management capabilities such as authentication, application messaging over TCP/IP, sequencing of messages, heartbeats and gap fills.

3. Application Messages

This section consists of application level messages.

3.1 System State

This message format is used to notify firms of the state changes of the system. Firms can use notifications as triggers in their system to ensure electronic synchronization of systems.

Field Name	Length	Data Type	Notes
<i>SesM Protocol Data</i>			<i>Sequenced Pkt; Refer to SesM Protocol Specification</i>
Message Type	1	Alphanumeric	S
Notification Time	8	NanoTime	Time at which this was generated by Sapphire system.
CTD Version	8	Alphanumeric	e.g.: CTD1.0
Session ID	4	BinaryU	Sapphire assigned ID for the current trading session
System Status	1	Alphanumeric	Current system status: "C" = End of Application Messages "1" = Start of Test Session (sent before tests). "2" = End of Test Session.

Points to note:

- From time to time, Sapphire will conduct off-hours testing. Such tests will be preceded by a System State Message indicating the *Start of Test* and close with a System State Message indicating the *End of Test*. Firms must ensure that messages sent on this feed from the beginning of "*Start of Test Session*" to the end of "*End of Test Session*" will not affect their production systems.
- A change in Session ID will mean that restarting at message sequence number 1. Firms must be able to handle more than one trading sessions in a single trading day.
- The CTD Version field value for this release will be CTD1.0. Firms are advised to send CTD1.0 in the SesM Login Request.

3.2 Trade Message

This is the message format that will be used to disseminate all Sapphire trade related content for entitled parties. Sapphire sends trades, trade corrections and trade cancels using this message.

Field Name	Length	Data Type	Notes
<i>SesM Protocol Data</i>			<i>Sequenced Pkt; Refer to SesM Protocol Specification</i>
Message Type	1	Alphanumeric	T
Processing Time	8	NanoTime	Time at which Sapphire system (Matching Engine) processed this trade.

Field Name	Length	Data Type	Notes
Trade Time	8	NanoTime	Automatic Trades: Time at which the Matching Engine created this trade. Will be same as Processing Time. Manual Trades: Trade Time of the new manual trade. Trades cancels, corrections: Trade Time of the original trade.
Trade As-of Date	4	BinaryU	As-of Date for As-of Trades. Format: YYYYMMDD. Zero for non As-of Trades.
Trade Action	1	Alphanumeric	Possible values: N = New trade C = Trade Correction X = Trade Cancel Note that New trades and Trade Cancel messages can also be generated due to a Clearing changing correction. See Correction Type field for details.
Trade Type	1	Alphanumeric	A = Automatic execution by the system M = Manual trade that Traders requested Sapphire personnel to enter
Trade ID	4	BinaryU	Sapphire assigned unique Trade ID for the day. For corrections and cancels, this is the trade ID of the original trade. When used in conjunction with Correction Number, Side and Trade Action, this is a unique identifier for each clearing trade.
Execution ID	8	BinaryU	Sapphire assigned unique Execution ID. Each side of the Clearing trade will have a unique Execution ID.
Correction Number	1	BinaryU	Trade correction number. Used to identify version of the trade being corrected or canceled. Increments by 1 for each subsequent correction. While this is 0 for new trades, new trades resulting from corrections may have a non-zero number.
Transaction ID	4	BinaryU	All clearing trades generated from a single Engine transaction will have the same transaction ID
Reference Trade Time	8	NanoTime	Time of the <u>parent trade (version of this trade that was active prior to this correction)</u> in case of a correction or a new trade generated due to correction. 0 otherwise.
Reference Trade ID	4	BinaryU	Trade ID of the parent trade in case of a correction or a new trade generated due to correction. 0 otherwise.

Field Name	Length	Data Type	Notes
Reference Correction Number	1	BinaryU	Correction Number of the parent trade in case of a correction or a new trade generated due to correction. 0 otherwise.
Correction Type	1	Alphanumeric	Gives more information to the user when this is a correction. Possible Values: 1 = Not Applicable (Used when message is generated due to a transaction other than Trade corrections) 2 = Price and/or Size change 3 = This side Clearing change (Could affect size for Trade splits) 4 = Contra side Clearing change 5 = Both side Clearing change
Strategy ID	4	BinaryU	Sapphire assigned unique Complex Strategy ID for the day. Populated only for complex trades, otherwise set to zero.
Reserved	16	BinaryU	* Reserved for future use *
Symbol information			
Product ID	4	BinaryU	<i>Option leg:</i> Sapphire Product ID mapped to a given option. It is assigned per trading session and is valid for that session. <i>Stock leg:</i> 0 (zero)
Underlying Symbol	11	Alphanumeric	Underlying Symbol for the option or stock leg. Format for Stock Leg: OCC Options Underlying Symbol (default) or Stock Ticker Symbol (configurable)
Underlying Type	1	Alphanumeric	Possible Values: F = ETF I = Index E = Equity
Security Symbol	6	Alphanumeric	<i>Option leg:</i> Option Security Symbol <i>Stock leg:</i> Filled with spaces = N/A (Not Applicable)
Expiration Date	4	BinaryU	<i>Option leg:</i> Expiration date of the option in YYYYMMDD format <i>Stock leg:</i> 0 (zero)

Strike Price	4	BinaryPrc4U	<i>Option leg:</i> Explicit strike price of the option. Refer to data types for field processing notes <i>Stock leg:</i> 0 (zero)														
Call or Put	1	Alphanumeric	<i>Option leg:</i> Option Type C = Call P = Put <i>Stock leg:</i> ' ' (space) = N/A (Not Applicable)														
Reserved	8	BinaryU	* Reserved for future use *														
Trade price/size Information																	
Side	1	Alphanumeric	The side of the trade on which this receiver was involved in. Possible values: B = Buy S = Sell														
Price	4	BinaryPrc4U	Trade price. This is the corrected trade price if that price changed in a trade correction.														
Size	4	BinaryU	Number of option contracts or stock shares traded in this clearing trade. This is the corrected trade size if that size changed in a trade correction.														
Trade condition	1	Alphanumeric	See Appendix A for list of possible values This is the corrected trade condition if that condition changed in a trade correction.														
Reserved	8	BinaryU	* Reserved for future use *														
Additional Billing parameters																	
Class Fee Type	1	Alphanumeric	Possible values: T = Taker/ Maker Fee Based														
Sapphire BBO Posting Increment Indicator	1	Alphanumeric	<i>Option leg:</i> This is the Minimum Price Variation as agreed to by the Options industry (penny pilot program) and as published by Sapphire <table border="1" data-bbox="792 1570 1354 1766"> <thead> <tr> <th rowspan="2">Indicator</th> <th colspan="2">BBO Increments</th> </tr> <tr> <th>Price <= \$3</th> <th>Price > \$3</th> </tr> </thead> <tbody> <tr> <td>P</td> <td>Penny (0.01)</td> <td>Penny (0.01)</td> </tr> <tr> <td>N</td> <td>Penny (0.01)</td> <td>Nickel (0.05)</td> </tr> <tr> <td>D</td> <td>Nickel (0.05)</td> <td>Dime (0.10)</td> </tr> </tbody> </table> <i>Stock leg:</i> '-' = N/A (Not Applicable)	Indicator	BBO Increments		Price <= \$3	Price > \$3	P	Penny (0.01)	Penny (0.01)	N	Penny (0.01)	Nickel (0.05)	D	Nickel (0.05)	Dime (0.10)
Indicator	BBO Increments																
	Price <= \$3	Price > \$3															
P	Penny (0.01)	Penny (0.01)															
N	Penny (0.01)	Nickel (0.05)															
D	Nickel (0.05)	Dime (0.10)															
Execution Exchange	1	Alphanumeric	<i>Option leg:</i>														

			<p>Market where a customer order was traded after routing from Sapphire</p> <p>A = NYSE Amex N = NYSE Arca B = BOX C = CBOE W = C2 (from CBOE) I = ISE H = ISE Gemini J = ISE Mercury Q = NASDAQ OMX Options Market X = NASDAQ OMX PHLX Options Market T = NASDAQ BX Z = BATS E = EDGX Options Market M = MIAX P = MIAX Pearl D = MIAX Emerald U = Members Exchange ‘ ‘ (space) = Traded at Sapphire</p> <p>Stock leg: ‘-‘ = N/A (Not Applicable)</p>
Routed Order Quantity	4	BinaryU	<p>This contains 0 (zero) for trades at Sapphire. For trades resulting from Orders routed to other exchanges, this contains total routed quantity that will be useful in calculating away-exchange block size billing rate.</p>
Market State	1	Alphanumeric	<p>Possible values: T = FreeTrading O = Opening ‘ ‘ (space) = Not applicable (for e.g.: not applicable for manual trades) ‘*’ (asterisk) = downgraded for older version</p>
Free Trading Condition	1	Alphanumeric	<p>Possible values: 1 = Regular 2 = ABBO Uncrossed ‘ ‘ (space) = Not applicable ‘*’ (asterisk) = downgraded for older version</p>
Stock Execution Destination	1	Alphanumeric	<p>Stock leg: Stock trading/reporting venue that will report and clear the stock leg trade. Possible values: ‘1’ – NASDAQ TRF</p> <p>Option leg: ‘ ‘ (space) – Not Applicable</p>

FIX Liquidity Role	1	Alphanumeric	Possible values: 'R' = Single Order 'Q' = QCC Agency Order 'Z' = QCC Contra Order '@' = Multileg Order 'F' = cQCC Agency Order 'G' = cQCC Contra Order 'A' = QFO Initiator Order 'B' = QFO Contra Order 'C' = cQFO Initiator Order 'D' = cQFO Contra Order 'H' = C2C Initiator Order 'I' = C2C Contra Order 'J' = cC2C Initiator Order 'K' = cC2C Contra Order ' ' (space) – Not Applicable '*' (asterisk) = downgraded for older version
Contra Liquidity Type	1	Alphanumeric	Possible values: 'F' = FIX Order 'B' = Binary Order 'C' = Complex FIX Order 'E' = Complex Binary Order ' ' (space) = N/A (Not Applicable, e.g.: Manual Trade) '*' (asterisk) = downgraded from older version
Contra FIX Liquidity Role	1	Alphanumeric	Possible values: 'R' = Single Order 'Q' = QCC Agency Order 'Z' = QCC Contra Order '@' = Multileg Order 'F' = cQCC Agency Order 'G' = cQCC Contra Order 'A' = QFO Initiator Order 'B' = QFO Contra Order 'C' = cQFO Initiator Order 'D' = cQFO Contra Order 'H' = C2C Initiator Order 'I' = C2C Contra Order 'J' = cC2C Initiator Order 'K' = cC2C Contra Order ' ' (space) – Not Applicable '*' (asterisk) = downgraded for older version
Reserved	16	BinaryU	* Reserved for future use *
This side Liquidity information			

Executing MPID	4	Alphanumeric	For Trades due to FIX Orders: MPID of the EEM/OFP (SenderSubID field in FIX order; Note that this will be different than Clearing MPID for MM FIX orders). For Trades due to Binary Orders: MM MPID.
Order Date	4	BinaryU	For Trades due to FIX Orders: Format: YYYYMMDD For Binary orders: zero.
FIX Order ID	30	Alphanumeric	For Trades due to FIX Orders: Firm assigned Order ID sent via the ClOrdID FIX field For Trades due to Binary Orders: Spaces.
Client Order ID	4	BinaryU	For Trades due to Binary Orders: Firm assigned Client Order ID For Trades due to FIX Orders: zero.
Client Message ID	4	BinaryU	For Trades due to Binary Orders: Firm assigned Client Message ID of the bulk liquidity message For Trades due to FIX Orders: zero.
Bulk Liquidity Index	1	BinaryU	For Trades due to Binary orders: Index assigned by Sapphire to each liquidity unit in bulk liquidity message (Index = liquidity unit position in the bulk liquidity message) For Trades due to FIX Orders: zero.
Open/Close Indicator	1	Alphanumeric	Option leg: Possible Values: O = Opening position C = Closing position Stock leg: ' ' (space) = N/A (Not Applicable)
Liquidity Type	1	Alphanumeric	Pertains to this side. Possible values: F = FIX Order B = Binary Order C = Complex FIX Order E = Complex Binary Order ' ' (space) = N/A (Not Applicable) (e.g.: Manual Trade) ** (asterisk) = downgraded for older version
Liquidity Indicator	1	Alphanumeric	Pertains to this side. Possible values: M = Maker T = Taker ' ' (space) = N/A (Not Applicable)
TimeInForce	1	Alphanumeric	0 = DAY 3 = IOC (Immediate or Cancel) ** (asterisk) = downgraded for older version

Leg Reference ID	5	Alphanumeric	Client specified ID in FIX Complex order for the leg corresponding to the option in this trade.
Stock Short Sell indicator	1	Alphanumeric	Possible values: N = Not a Short Sale Y = Short Sale E = Short Sale Exempt ' ' (space) = Not applicable (e.g. when this is an option leg or a buy stock leg)
Reserved	14	BinaryU	* Reserved for future use *
<i>This side Clearing Information</i>			
Clearing MPID	4	Alphanumeric	Option leg: MPID of the member Stock leg: Underlying MPID or the DTC Account number
Member Type	1	Alphanumeric	Option leg: Possible Values: E = Electronic Exchange Member (EEM) M = Market Maker R = Routing Broker B = Floor Broker F = Floor Market Maker '*' (asterisk) = downgraded for older version Stock leg: ' ' (space) = Not applicable
Origin	1	Alphanumeric	C = Priority Customer N = Non-Priority customer F = Firm B = Broker/Dealer M = Sapphire member Market Maker or Floor Market Maker A = Away Exchange Market Maker
Clearing Number	4	BinaryU	Option leg: OCC Clearing number of this side Stock leg: 0 (zero)
CMTA	4	BinaryU	Option leg: CMTA in case of a give-up trade Stock leg: 0 (zero)
Multi Account	5	Alphanumeric	Sub or multi account ID specified in order
Account ID	10	Alphanumeric	Account ID that is supplied in the order
Supplementary ID	13	Alphanumeric	Supplementary ID supplied in the Text field of the FIX order and Additional Text field of MEO orders
Allocation ID	4	Alphanumeric	Individual Allocation ID (Tag 467) for each Cross Order participant supplied in the FIX New Order

			Cross or New Order Cross - Multieq. If not applicable, filled with spaces
Order Capacity	1	Alphanumeric	<i>Option leg:</i> ‘ ‘ (space) = Not applicable <i>Stock leg:</i> P – Principal A – Agency R – Riskless Principal
Reserved	11	BinaryU	* Reserved for future use *
Contra side (opposite side) clearing information			
MPID	4	Alphanumeric	<i>Option leg:</i> MPID of the member <i>Stock leg:</i> Underlying MPID or the DTC Account number
Member Type	1	Alphanumeric	<i>Option leg:</i> Possible Values: E = Electronic Exchange Member (EEM) M = Market Maker R = Routing Broker B = Floor Broker F = Floor Market Maker ‘*’ (asterisk) = downgraded for older version <i>Stock leg:</i> ‘ ‘ (space) = Not applicable
Origin	1	Alphanumeric	C = Priority Customer N = Non-Priority customer F = Firm B = Broker/Dealer M = Sapphire member Market Maker or Floor Market Maker A = Away Exchange Market Maker
Clearing Number	4	BinaryU	<i>Option leg:</i> OCC Clearing number <i>Stock leg:</i> 0 (zero)
CMTA	4	BinaryU	<i>Option leg:</i> CMTA in case of a give-up trade <i>Stock leg:</i> 0 (zero)
ContraTimeInForce	1	Alphanumeric	0 = DAY 3 = IOC (Immediate or Cancel) ‘*’ (asterisk) = downgraded for older version
Order Capacity	1	Alphanumeric	<i>Option leg:</i> ‘ ‘ (space) = Not applicable <i>Stock leg:</i>

			P – Principal A – Agency R – Riskless Principal
Reserved	14	BinaryU	* Reserved for future use *

Points to note:

- This is a sequenced message. Please refer to SesM protocol specification as to the features extended by sequenced messages.
- **Important:** Sapphire may choose to retransmit trade messages in response to an interruption of the CTD service. Sapphire will work to coordinate with the firms before initiating such retransmissions. Firms can use a combination of *TradeID*, *CorrectionNumber*, *Side* and *Trade Action* as a unique key to know if a given message is a retransmitted message.

3.3 Risk Notification Message

Firms configured to use Risk Protection Monitoring will receive User Notification communicating the status of Risk checks. Field “Event Type” is used to determine the reason for the notification.

The following message will be used to disseminate all Sapphire Risk Protection Monitor (RPM) related notifications.

Field Name	Length	Data Type	Notes
SesM Protocol Data			<i>Sequenced and UnSequenced Pkt based on Event Type; Refer to SesM Protocol Specification</i>
Message Type	1	Alphanumeric	R
Processing Time	8	NanoTime	Time at which Sapphire system (Matching Engine) processed this notification.
MPID Group ID	32	Alphanumeric	Firm Assigned Group ID
Metric ID	32	Alphanumeric	Metric ID for the group
Route ID	32	Alphanumeric	ID used to route to this session.
Metric Type	1	Alphanumeric	“C” = Rate of Executed Order Contracts “O” = Rate of New/Replace Orders Received “*” (asterisk) = downgraded for older version
Protection Type	1	Alphanumeric	“B” = Block all MPIDs for this MPID Group ID “M” = Block all MPIDs for this MPID Group ID and also mass-cancel all day orders for MPIDs in the group “W” = Warning only “*” (asterisk) = downgraded for older version
Event Type	1	Alphanumeric	“S” = Period Status/Pulse Notification “T” = Safeguard Trigger “R” = Reset Risk Metric “W” = Warning Only “D” = “Metric Deleted” “A” = “Metric Added” “P” = “Metric Paused”

Field Name	Length	Data Type	Notes
			“U” = “Metric Un-Paused” ‘*’ (asterisk) = downgraded for older version
Event ID	4	Binary4U	Unique ID assigned by Sapphire for this event. Can be used to order events. Event Type “S” Event ID will equal zero
Configured Counting Time Period	4	Binary4U	Configured time period in milliseconds which is used to consider events for this Metric ID
Configured Max Quantity	4	Binary4U	Configured max threshold of counted items for the Configured Counting Time interval for this Metric ID. Defines rate for the counting time period.
Current Quantity	4	Binary4U	Current counted quantity at the time of the event for this Metric ID.
Max Peak Quantity	4	Binary4U	Max peak for Current Quantity during pulse interval
Percentage Level	1	BinaryU	Current Percentage for the Counted Quantity in relationship to Configured Max Quantity. Valid values from 0 to 255%. Actual percentages greater than 255 will be reported as the max (255)
Reserved	32	Binary4U	Reserved for future use.

Points to note:

- Event Types are treated as solicited (T, R, W, D, A, P, U) or unsolicited (S). See configuration section on how to control what types are published on the session.
- Status Notifications are sent periodically on a best effort basis at one minute intervals. Intra-day configurations may delay updates one interval.
- Sapphire will deliver warnings on a best effort basis. If a metric rapidly produces multiple warnings, initial or older warning levels may be dropped. The latest, or most current, warning will be delivered. Solicited messages are considered “Sequenced” messages at the SesM protocol level and recoverable. Unsolicited messages are considered “Unsequenced” at the SesM protocol level and not recoverable.
- If a new Event Type is published using an older App Protocol version, it will be mapped to a ‘*’ (asterisk) for backward compatibility purposes. They will be published as unsolicited or solicited based on the new event type and are unsequenced in SesM protocol level.

Appendix A: Trade Conditions

Note that the trade conditions below are intended to be aligned with the OPRA trade conditions as a convenience. However, this is not a fixed requirement and, as such, they may digress at times.

Trade conditions applicable to the trade message:

Condition Code	Description
Space	Regular
A	Cancel of Trade previously reported other than as the last or opening for the particular Option
B	Trade that is Late and is out of sequence
C	Cancel of the last reported Trade for the particular Option
D	Trade that is Late and is in correct sequence
E	Cancel of the first (opening) reported Trade for the particular Option
F	Trade that is late report of the opening trade and is out of sequence
G	Cancel of the only reported Trade for the particular Option
H	Trade that is late report of the opening trade and is in correct sequence
I	Auto
J	Trade due to reopening of an Option in which trading has been previously halted; process as a regular transaction.
K	* Reserved for future use *
L	* Reserved for future use *
M	* Reserved for future use *
N	* Reserved for future use *
O	* Reserved for future use *
P	* Reserved for future use *
Q	* Reserved for future use *
R	Trade was the execution of an order which was “stopped” at a price that did not constitute a Trade-Through on another market at the time of the stop. Process like a normal transaction except don’t update “last”.
S	Trade or floor trade was the execution of an order identified as an Intermarket Sweep Order (ISO).
T	* Reserved for future use *
X	Trade that is Trade Through Exempt. The trade should be treated like a regular sale.
a	* Reserved for future use *
b	* Reserved for future use *
c	Trade from Customer to Customer Cross or QCC transaction
d	* Reserved for future use *
e	Trade from Cross transaction on the exchange floor, including Customer to Customer Cross

f	Trade from a Complex transaction that is not Complex stock-tied and does not involve legging
g	* Reserved for future use *
h	Trade from a Complex Customer to Customer Cross or Complex QCC transaction that is not Complex stock-tied
i	Trade from Complex Cross transaction on the exchange floor, including Customer to Customer Cross, that is not Complex stock-tied
j	Trade from a Complex legging transaction that is not Complex stock-tied
k	* Reserved for future use *
l	* Reserved for future use *
m	Trade from Complex Cross transaction on the exchange floor, that has legging occurred on the floor and not Complex stock-tied
n	Trade from a Complex stock-tied transaction that does not involve legging
o	Trade from Complex Customer to Customer Cross stock-tied or Complex QCC stock-tied transaction
p	Trade from Complex Cross stock-tied transaction on the exchange floor, including Customer to Customer Cross and QCC, that does not involve legging
q	Trade from a Complex stock-tied legging transaction
r	* Reserved for future use *
s	Trade from Complex Cross stock-tied transaction on the exchange floor, including Customer to Customer Cross and QCC, that has legging occurred on the floor
t	* Reserved for future use *

NOTE: The list of trade conditions above are a superset of those supported by the MIAX Exchange Group for Options. Individual exchanges may or may not emit certain trade conditions depending on the related supported functionality.

Appendix B: Contact List

Please visit the [MAX website](#) to obtain the most up-to-date contact list and other such information.

Appendix C: Revision History

Revision Date	Version	Description
Jul 25 th , 2023	1.0	First release.
Dec 20 th , 2023	1.1	Updates for allowing downgraded version in Member Type field of Trade Message
Mar 25 th , 2024	2.0	Floor Trading related changes.
Jan 08 th , 2025	2.1	Replaced C2C and cC2C related single enum with 2 distinct enums in FIX Liquidity Role and Contra FIX Liquidity Role of Trade message.

miax[®]

miaxglobal.com